

vadv-02-Cisco Transport Controller																																																																	
File Edit View Tools Help																																																																	
<div style="float: left; width: 15%;"> <p>vadv-02</p> <p>0 CR 0 MJ 0 MN</p> <p>IP Addr: 172.20.222.12 Booted: 7/30/01 2:31 PM User: CISCO15 Authority: Superuser</p> </div> <div style="clear: both;"></div>																																																																	
Alarms Conditions History Circuits Provisioning Inventory Maintenance																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">General</td> <td colspan="5">Node Name: vadv-02 Contact:</td> </tr> <tr> <td>Ether Bridge</td> <td colspan="5">Location:</td> </tr> <tr> <td>Network</td> <td colspan="5">Description:</td> </tr> <tr> <td>Protection</td> <td>Latitude: N ▼ 38 ▲</td> <td>deg.</td> <td>min.</td> <td>Longitude: W ▼ 122 ▲</td> <td>deg.</td> </tr> <tr> <td>Ring</td> <td colspan="2"></td> <td>deg.</td> <td colspan="2">min.</td> </tr> <tr> <td>Security</td> <td colspan="5">Time: <input type="checkbox"/> Use SNTP Server: 172.20.222.3</td> </tr> <tr> <td>SNMP</td> <td>Date: 7/30/2001</td> <td colspan="2">Time zone: Eastern (EST/EDT)</td> <td colspan="2">Time: 16:43:03 EDT</td> </tr> <tr> <td>Sonet DCC</td> <td colspan="5">System Description: Cisco ONS 15454 3.2.2 (03.22-X07F-30.01)</td> </tr> <tr> <td>Timing</td> <td colspan="5"></td> </tr> <tr> <td>Profile Editor</td> <td colspan="5"></td> </tr> </table>						General	Node Name: vadv-02 Contact:					Ether Bridge	Location:					Network	Description:					Protection	Latitude: N ▼ 38 ▲	deg.	min.	Longitude: W ▼ 122 ▲	deg.	Ring			deg.	min.		Security	Time: <input type="checkbox"/> Use SNTP Server: 172.20.222.3					SNMP	Date: 7/30/2001	Time zone: Eastern (EST/EDT)		Time: 16:43:03 EDT		Sonet DCC	System Description: Cisco ONS 15454 3.2.2 (03.22-X07F-30.01)					Timing						Profile Editor					
General	Node Name: vadv-02 Contact:																																																																
Ether Bridge	Location:																																																																
Network	Description:																																																																
Protection	Latitude: N ▼ 38 ▲	deg.	min.	Longitude: W ▼ 122 ▲	deg.																																																												
Ring			deg.	min.																																																													
Security	Time: <input type="checkbox"/> Use SNTP Server: 172.20.222.3																																																																
SNMP	Date: 7/30/2001	Time zone: Eastern (EST/EDT)		Time: 16:43:03 EDT																																																													
Sonet DCC	System Description: Cisco ONS 15454 3.2.2 (03.22-X07F-30.01)																																																																
Timing																																																																	
Profile Editor																																																																	
<input type="button" value="Apply"/> <input type="button" value="Reset"/>																																																																	

505

105

va327-22-Cisco Transport Controller																																				
File Edit View Tools Help																																				
<div style="float: right; text-align: right;"> </div>																																				
<div style="display: flex; justify-content: space-between;"> va327-22 —603 </div>																																				
<div style="border: 1px solid black; padding: 2px;">0 CR</div> <div style="border: 1px solid black; padding: 2px;">0 MJ</div> <div style="border: 1px solid black; padding: 2px;">0 MN</div> <p>IP Addr: 172.20.222.12 Booted: 7/30/01 2:49 PM User: CISCO15 Authority: Superuser</p>	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 10%;">4</td> <td style="width: 20%;">15327-OC12-1-IR</td> <td style="width: 10%;">Sby <input type="checkbox"/></td> <td style="width: 10%;">15327-XTC-28-3</td> <td style="width: 10%;">CRAFT</td> <td style="width: 10%;">LAN</td> <td style="width: 10%;">Sby <input type="checkbox"/></td> <td style="width: 10%;">5</td> </tr> <tr> <td>3</td> <td>15327-OC48-1-IR</td> <td>Sby <input type="checkbox"/></td> <td>15327-XTC-28-3</td> <td>CRAFT</td> <td>LAN</td> <td>Act <input type="checkbox"/></td> <td>6</td> </tr> <tr> <td>2</td> <td>15327-OC12-1-IR</td> <td>Sby <input type="checkbox"/></td> <td>MIC-B</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>D81</td> <td>7</td> </tr> <tr> <td>1</td> <td>OC3/STM1-IR-4</td> <td>Act <input type="checkbox"/></td> <td>MIC-A</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>D81</td> <td>8</td> </tr> </table> <p style="text-align: right; margin-top: -20px;">FAN</p>			4	15327-OC12-1-IR	Sby <input type="checkbox"/>	15327-XTC-28-3	CRAFT	LAN	Sby <input type="checkbox"/>	5	3	15327-OC48-1-IR	Sby <input type="checkbox"/>	15327-XTC-28-3	CRAFT	LAN	Act <input type="checkbox"/>	6	2	15327-OC12-1-IR	Sby <input type="checkbox"/>	MIC-B	<input type="checkbox"/>	<input type="checkbox"/>	D81	7	1	OC3/STM1-IR-4	Act <input type="checkbox"/>	MIC-A	<input type="checkbox"/>	<input type="checkbox"/>	D81	8	
4	15327-OC12-1-IR	Sby <input type="checkbox"/>	15327-XTC-28-3	CRAFT	LAN	Sby <input type="checkbox"/>	5																													
3	15327-OC48-1-IR	Sby <input type="checkbox"/>	15327-XTC-28-3	CRAFT	LAN	Act <input type="checkbox"/>	6																													
2	15327-OC12-1-IR	Sby <input type="checkbox"/>	MIC-B	<input type="checkbox"/>	<input type="checkbox"/>	D81	7																													
1	OC3/STM1-IR-4	Act <input type="checkbox"/>	MIC-A	<input type="checkbox"/>	<input type="checkbox"/>	D81	8																													
<div style="display: flex; justify-content: space-around;"> Alarms Conditions History Circuits Provisioning Inventory Maintenance </div>																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Node Name: va327-22</td> <td style="width: 30%;">Contact:</td> <td style="width: 40%;"></td> </tr> <tr> <td colspan="3">Location:</td> </tr> <tr> <td colspan="3">Description:</td> </tr> <tr> <td>Latitude: N ▼ 38 ▲</td> <td>deg.</td> <td>Longitude: W ▼ 122 ▲</td> </tr> <tr> <td></td> <td>min.</td> <td>deg.</td> </tr> <tr> <td></td> <td>min.</td> <td>min.</td> </tr> <tr> <td colspan="3">Time: 16:42:21 EDT</td> </tr> <tr> <td colspan="3"><input checked="" type="checkbox"/> Use SNMP Server: 172.20.222.3</td> </tr> <tr> <td>Date: 7/30/2001</td> <td colspan="2">Time: 16:42:21 EDT</td> </tr> <tr> <td colspan="3">Time zone: Eastern (EST/EDT)</td> </tr> <tr> <td colspan="3">System Description: Cisco ONS 15327 3.2.2 (03.22-X07F-30.01)</td> </tr> </table>				Node Name: va327-22	Contact:		Location:			Description:			Latitude: N ▼ 38 ▲	deg.	Longitude: W ▼ 122 ▲		min.	deg.		min.	min.	Time: 16:42:21 EDT			<input checked="" type="checkbox"/> Use SNMP Server: 172.20.222.3			Date: 7/30/2001	Time: 16:42:21 EDT		Time zone: Eastern (EST/EDT)			System Description: Cisco ONS 15327 3.2.2 (03.22-X07F-30.01)		
Node Name: va327-22	Contact:																																			
Location:																																				
Description:																																				
Latitude: N ▼ 38 ▲	deg.	Longitude: W ▼ 122 ▲																																		
	min.	deg.																																		
	min.	min.																																		
Time: 16:42:21 EDT																																				
<input checked="" type="checkbox"/> Use SNMP Server: 172.20.222.3																																				
Date: 7/30/2001	Time: 16:42:21 EDT																																			
Time zone: Eastern (EST/EDT)																																				
System Description: Cisco ONS 15327 3.2.2 (03.22-X07F-30.01)																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">General</td> <td style="width: 33%;">Apply</td> <td style="width: 33%;">Reset</td> </tr> <tr> <td>Ether Bridge</td> <td></td> <td></td> </tr> <tr> <td>Network</td> <td></td> <td></td> </tr> <tr> <td>Protection</td> <td></td> <td></td> </tr> <tr> <td>Ring</td> <td></td> <td></td> </tr> <tr> <td>Security</td> <td></td> <td></td> </tr> <tr> <td>SNMP</td> <td></td> <td></td> </tr> <tr> <td>Sonet DCC</td> <td></td> <td></td> </tr> <tr> <td>Timing</td> <td></td> <td></td> </tr> <tr> <td>Profile Editor</td> <td></td> <td></td> </tr> </table>				General	Apply	Reset	Ether Bridge			Network			Protection			Ring			Security			SNMP			Sonet DCC			Timing			Profile Editor					
General	Apply	Reset																																		
Ether Bridge																																				
Network																																				
Protection																																				
Ring																																				
Security																																				
SNMP																																				
Sonet DCC																																				
Timing																																				
Profile Editor																																				

605.

601-109